

FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6A

FIGURE 6B




FIGURE 7




FIGURE 9




FIGURE 8A




FIGURE 8B




FIGURE 10A




FIGURE 10B




FIGURE 11




FIGURE 13




FIGURE 12




FIGURE 14




FIGURE 15




FIGURE 16A




FIGURE 16B




FIGURE 17A




FIGURE 17B

Life-long L-E Male RAT Serum




FIGURE 18




FIGURE 19


80 Day Old Life-long L-E Female Rat

FIGURE 20


80 Day Old Life-long L-E Female Rat

FIGURE 21




FIGURE 22




FIGURE 23


215 Day Old Female Rat Body

FIGURE 24


215 Day Old Female Rat White

FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30




FIGURE 31




FIGURE 32




FIGURE 33




FIGURE 34




FIGURE 35




FIGURE 36




FIGURE 37




FIGURE 38




FIGURE 39


145 Day Old Noble Male Rat

FIGURE 40




145 Day Old Noble Female Rat

FIGURE 41

145 Day Old Noble Female Rat**FIGURE 42****66 days old (14 days on Phyto-free diet)
Pre-EQUOL INJECTION DATA****FIGURE 43**




FIGURE 44




FIGURE 45




FIGURE 46




FIGURE 47




FIGURE 48




FIGURE 49




FIGURE 50




FIGURE 51




FIGURE 52





FIGURE 53



□ = significantly increased time spent in open arms compared to AIN-76 values

? = significantly increased time spent in open arms compared to AIN-76 and Phyto-free values

n = 7 animals per group

FIGURE 54




FIGURE 55




FIGURE 56




FIGURE 57

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.